

10 pages

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	7	mattsson-ulf.in.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/03/07 17:31
S2	2	("5446575" "5542078").PN.	USPAT	OR	ON	2005/03/07 17:32
S3	114	"5542078".URPN.	USPAT	OR	ON	2005/03/07 17:34
S4	0	"6321201".URPN.	USPAT	OR	ON	2005/03/07 17:35
S5	16	("5369702" "5459860" "5659614" "5661799" "5680452" "5699428" "5717755" "5757908" "5768276" "5898781" "5915017" "5915025" "5917915" "5933498" "5940507" "6098172").PN.	USPAT	OR	ON	2005/03/07 17:35
S6	13	("5274807" "5276867" "5278978" "5339419" "5402474" "5416917" "5519869" "5701183" "5706457" "5875478" "5937411" "6009442" "6088717").PN.	USPAT	OR	ON	2005/03/07 17:36
S7	33	((("data type" near3 (preserv\$5 or maintain\$3 or "same"))) same (encrypt\$3 or encod\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 17:36
S8	15	"4645916".URPN.	USPAT	OR	ON	2005/03/07 18:16
S9	30	("3624615" "3653000" "3727190" "3753245" "3778774" "3790754" "3829844" "3831006" "3839708" "3848112" "3869700" "3918047" "3970996" "3996450" "4013894" "4055746" "4085446" "4108362" "4130881" "4164320" "4177456" "4181251" "4219151" "4242730" "4268744" "4304990" "4340810" "4357529" "4358672" "4359630").PN.	USPAT	OR	ON	2005/03/07 18:16
S10	5	("4974191" "5065429" "5191611" "5367573" "5659614").PN.	USPAT	OR	ON	2005/03/07 18:18
S11	6	"5963642".URPN.	USPAT	OR	ON	2005/03/07 18:18

EAST Search History

S12	12	database near5 (cryptograph\$2 or encrypt\$3) same "data type"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 18:29
S13	3	("5737419" "5924094" "6185685").PN.	USPAT	OR	ON	2005/03/07 18:32
S14	0	"6327595".URPN.	USPAT	OR	ON	2005/03/07 18:33
S15	2	(707/100-104.1.ccls. and ("data type" near3 (preserv\$5 or maintain\$3 or "same"))) and (database near5 (cryptograph\$2 or encrypt\$3))	US-PGPUB; USPAT	OR	ON	2005/03/07 18:33
S16	17	database with (cryptograph\$2 or encrypt\$3) same ("data type" or "character set")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 18:36
S17	10	database and "data type" same ("basic encoding rules" or ber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 17:24
S18	21	707/100-104.1.ccls. and "data type" and (encryptA\$3 or cryptography)	US-PGPUB; USPAT	OR	ON	2005/03/07 18:39
S19	27	713/193.ccls. and database and "data type"	US-PGPUB; USPAT	OR	ON	2005/03/07 18:42
S20	2	("data type" near3 (preserv\$5 or maintain\$3 or "same")) same (database with encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 18:44
S21	12	("data type" near3 (preserv\$5 or maintain\$3 or "same")) and (database near5 encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 18:23
S22	0	(713/193.ccls. and (database same (encrypt\$3 or cryptograph\$2))) and ("data type" same "character set")	US-PGPUB; USPAT	OR	ON	2005/03/07 18:45
S23	23	(713/193.ccls. and (database same (encrypt\$3 or cryptograph\$2))) and ("data type" or "character set")	US-PGPUB; USPAT	OR	ON	2005/03/07 18:45

EAST Search History

S24	2	341/90.ccls. and (database with (encrypt\$3 or encod\$3 or cryptography))	US-PGPUB; USPAT	OR	ON	2005/03/07 18:46
S25	21	713/167.ccls. and (database same (encrypt\$3 or cryptography))	US-PGPUB; USPAT	OR	ON	2005/03/07 18:47
S26	1	("6336121").PN.	USPAT; USOCR	OR	OFF	2004/06/22 17:48
S27	2	707/101,103R,104.1.ccls. and "data type" with "character set"	US-PGPUB; USPAT	OR	ON	2005/03/07 18:48
S28	31	707/101,103R,104.1.ccls. and (database same ("data type" with (allow\$2 or restrict\$3) near "5" "character set"))	US-PGPUB; USPAT	OR	ON	2005/03/07 18:49
S29	1	707/101,103R,104.1.ccls. and (database same ("data type" with ((allow\$2 or restrict\$3) near "5" "character set")))	US-PGPUB; USPAT	OR	ON	2005/03/07 18:50
S30	5	"5835912".URPN.	USPAT	OR	ON	2004/06/23 12:32
S31	7	("4566078" "5148541" "5428772" "5442782" "5497319" "5523946" "5678039").PN.	USPAT	OR	ON	2004/06/23 12:34
S32	79	database and ("data type" same ((restrict\$3 or allow\$3 or \$defined) near3 character))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 18:51
S33	32	380/267.ccls.	US-PGPUB; USPAT	OR	ON	2005/10/08 14:02
S34	8	"5515437".URPN.	USPAT	OR	ON	2004/06/23 15:49
S35	1	"5333197".URPN.	USPAT	OR	ON	2004/06/23 15:51
S36	3	"4627074".URPN.	USPAT	OR	ON	2004/06/23 15:51
S37	1	"4262359".URPN.	USPAT	OR	ON	2004/06/23 15:54
S38	8	"3670104".URPN.	USPAT	OR	ON	2004/06/23 15:54
S39	4	database and (encrypt\$3 same "datatype")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 18:54
S40	156	encrypt\$3 with "data type"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 18:58

EAST Search History

S41	179	(database and (encrypt\$3 same "data type")) not (encrypt\$3 with "data type")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 18:58
S42	17	("4993069" "5440633" "5511122" "5517622" "5524052" "5577209" "5640456" "5673322" "5689565" "5699513" "5845281" "5892899" "6044468" "6173404" "6175925" "6178509" "6205550").PN.	USPAT	OR	ON	2004/06/23 17:40
S43	0	"6324646".URPN.	USPAT	OR	ON	2004/06/23 18:25
S44	17	("4993069" "5440633" "5511122" "5517622" "5524052" "5577209" "5640456" "5673322" "5689565" "5699513" "5845281" "5892899" "6044468" "6173404" "6175925" "6178509" "6205550").PN.	USPAT	OR	ON	2004/06/23 18:25
S45	7	database same ((pre\$1defined or restrict\$3 or allow\$3) near3 "character set")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 19:00
S46	134	(key near5 (initial\$7 adj (vector or value))) same encrypt\$3	USPAT	OR	ON	2005/03/07 19:03
S12 8	8	mattsson-ulf.in.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 10:25
S12 9	2	("5446575" "5542078").PN.	USPAT	OR	ON	2005/03/07 17:32
S13 0	115	"5542078".URPN.	USPAT	OR	ON	2005/03/07 17:34
S13 1	0	"6321201".URPN.	USPAT	OR	ON	2005/03/07 17:35

EAST Search History

S13 2	16	("5369702" "5459860" "5659614" "5661799" "5680452" "5699428" "5717755" "5757908" "5768276" "5898781" "5915017" "5915025" "5917915" "5933498" "5940507" "6098172").PN.	USPAT	OR	ON	2005/03/07 17:35
S13 3	13	("5274807" "5276867" "5278978" "5339419" "5402474" "5416917" "5519869" "5701183" "5706457" "5875478" "5937411" "6009442" "6088717").PN.	USPAT	OR	ON	2005/03/07 17:36
S13 6	13	((("data type" near3 (preserv\$5 or maintain\$3 or "same" or support\$3)) same encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 10:28
S13 7	10	("4916738" "5126728" "5440723" "5452442" "5485575" "5572590" "5613002" "5701342" "5832212" "5960080").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/07 18:13
S13 8	17	"4645916".URPN.	USPAT	OR	ON	2005/03/07 18:16
S13 9	30	("3624615" "3653000" "3727190" "3753245" "3778774" "3790754" "3829844" "3831006" "3839708" "3848112" "3869700" "3918047" "3970996" "3996450" "4013894" "4055746" "4085446" "4108362" "4130881" "4164320" "4177456" "4181251" "4219151" "4242730" "4268744" "4304990" "4340810" "4357529" "4358672" "4359630").PN.	USPAT	OR	ON	2005/03/07 18:16
S14 0	5	("4974191" "5065429" "5191611" "5367573" "5659614").PN.	USPAT	OR	ON	2005/03/07 18:18
S14 1	7	"5963642".URPN.	USPAT	OR	ON	2005/03/07 18:18

EAST Search History

S14 2	12	database near5 (cryptograph\$2 or encrypt\$3) same "data type"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 10:39
S14 3	3	("5737419" "5924094" "6185685").PN.	USPAT	OR	ON	2005/03/07 18:32
S14 4	0	"6327595".URPN.	USPAT	OR	ON	2005/03/07 18:33
S14 5	2	(707/100-104.1.ccls. and ("data type" near3 (preserv\$5 or maintain\$3 or "same" or support\$3))) and (database near5 (cryptograph\$2 or encrypt\$3))	US-PGPUB; USPAT	OR	ON	2005/10/08 11:24
S14 6	20	database with (cryptograph\$2 or encrypt\$3) same ("data type" or "character set")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 11:27
S14 7	25	707/100-104.1.ccls. and "data type" and (encryptA\$3 or cryptography)	US-PGPUB; USPAT	OR	ON	2005/10/08 11:37
S14 8	47	713/193.ccls. and database and "data type"	US-PGPUB; USPAT	OR	ON	2005/03/07 18:42
S14 9	0	(713/193.ccls. and (database same (encrypt\$3 or cryptograph\$2))) and ("data type" same "character set")	US-PGPUB; USPAT	OR	ON	2005/03/07 18:45
S15 0	42	(713/193.ccls. and (database same (encrypt\$3 or cryptograph\$2))) and ("data type" or "character set")	US-PGPUB; USPAT	OR	ON	2005/10/08 11:39
S15 1	2	341/90.ccls. and (database with (encrypt\$3 or encod\$3 or cryptography))	US-PGPUB; USPAT	OR	ON	2005/03/07 18:47
S15 2	31	713/167.ccls. and (database same (encrypt\$3 or cryptography))	US-PGPUB; USPAT	OR	ON	2005/03/07 18:47
S15 3	2	707/101,103R,104.1.ccls. and "data type" with "character set"	US-PGPUB; USPAT	OR	ON	2005/03/07 18:48
S15 4	33	707/101,103R,104.1.ccls. and (database same ("data type" with (allow\$2 or restrict\$3) near "5" "character set"))	US-PGPUB; USPAT	OR	ON	2005/03/07 18:49
S15 5	1	707/101,103R,104.1.ccls. and (database same ("data type" with ((allow\$2 or restrict\$3) near "5" "character set")))	US-PGPUB; USPAT	OR	ON	2005/03/07 18:50

EAST Search History

S15 6	96	database and ("data type" same ((restrict\$3 or allow\$3 or \$defined) near3 character))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 18:51
S15 7	33	380/267.ccls.	US-PGPUB; USPAT	OR	ON	2005/03/07 18:52
S15 8	4	database and (encrypt\$3 same "datatype")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 18:54
S15 9	198	encrypt\$3 with "data type"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 18:58
S16 0	9	database same ((pre\$1defined or restrict\$3 or allow\$3) near3 "character set")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 19:01
S16 1	156	(key near5 (initial\$7 adj (vector or value))) same encrypt\$3	USPAT	OR	ON	2005/03/07 19:03
S16 2	12	(mattsson-ulf.in. or blomkvist.in.) and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 10:11
S16 3	16	((("data type" near3 (preserv\$5 or maintain\$3 or "same" or support\$3)) same (encrypt\$3 obfuscat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 10:13
S16 4	14	database near5 (cryptograph\$2 or encrypt\$3 or obfuscat\$3) same "data type"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 10:27
S16 6	1061	707/100-104.1.ccls. and (cryptograph\$2 or encrypt\$3 obfuscat\$3)	US-PGPUB; USPAT	OR	ON	2006/03/27 11:45

EAST Search History

S16 7	2	(707/100-104.1.ccls. and ("data type" near3 (preserv\$5 or maintain\$3 or "same" or support\$3))) and (database near5 (cryptograph\$2 or encrypt\$3 obfuscat\$3))	US-PGPUB; USPAT	OR	ON	2006/03/27 11:45
S16 8	2	707/100-104.1.ccls. and ((data near2 type) same (database near5 (cryptograph\$2 or encrypt\$3 obfuscat\$3)))	US-PGPUB; USPAT	OR	ON	2005/10/08 11:26
S16 9	23	database with (cryptograph\$2 or encrypt\$3) same ("data type" or "character set")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 11:27
S17 0	50	707/100-104.1.ccls. and ((data near2 type) (character near2 set)) and (encryptA\$3 or cryptography)	US-PGPUB; USPAT	OR	ON	2006/03/27 11:50
S17 1	1022	713/167,189,193.ccls. and (@ad<"20001127" or @rlad<"20001127")	US-PGPUB; USPAT	OR	ON	2005/10/08 11:40
S17 2	50	S171 and (database same (encrypt\$3 or cryptograph\$2)) and ("data type" "character set")	US-PGPUB; USPAT	OR	ON	2005/10/08 11:42
S17 3	3	S171 and ((database same (encrypt\$3 or cryptograph\$2)) same ("data type" "character set"))	US-PGPUB; USPAT	OR	ON	2006/03/27 11:55
S17 4	180	S171 and (database same (encrypt\$3 or cryptograph\$2))	US-PGPUB; USPAT	OR	ON	2005/10/08 11:43
S17 5	114	S171 and (database with (encrypt\$3 or cryptograph\$2))	US-PGPUB; USPAT	OR	ON	2005/10/08 11:43
S17 7	22	S171 and (database near3 (encrypt\$3 or cryptograph\$2) same (record column field element))	US-PGPUB; USPAT	OR	ON	2006/03/27 11:56
S17 8	9	("5963642").URPN.	USPAT	OR	ON	2005/10/08 12:06
S17 9	10	("20020078079" "20020095651" "20020138431" "5713018" "5903652" "5963642" "6199077" "6209095" "6477565" "6499036").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/08 12:08
S18 0	35	380/267.ccls.	US-PGPUB; USPAT	OR	ON	2005/10/08 14:02

EAST Search History

S18 1	13	(mattsson-ulf.in. or blomkvist.in.) and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 10:11
S18 2	94	(data near2 type) near5 (preserv\$5 or maintain\$3 or "same" or support\$3) same (encrypt\$3 obfuscat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 10:16
S18 3	31	S182 and (@ad<"20001127" or @rlad<"20001127")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 10:27
S18 4	58	database near5 (cryptograph\$2 or encrypt\$3 or obfuscat\$3) same (data near2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 11:39
S18 5	21	S184 and (@ad<"20001127" or @rlad<"20001127")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 11:41
S18 6	0	database same ((cryptograph\$2 or encrypt\$3 or obfuscat\$3) with transparent\$2 with (data near2 type))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 11:40
S18 7	42	database same ((cryptograph\$2 or encrypt\$3 or obfuscat\$3) with transparent\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 11:40
S18 8	13	S187 and (@ad<"20001127" or @rlad<"20001127")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 11:41
S18 9	6966	707/100-104.1.ccls. and (@ad<"20001127" or @rlad<"20001127")	US-PGPUB; USPAT	OR	ON	2006/03/27 11:45

EAST Search History

S19 2	2	S189 and ((data near2 type) near3 (preserv\$5 or maintain\$3 or "same" or support\$3 transparent\$2) same (cryptograph\$2 or encrypt\$3 obfuscate\$3))	US-PGPUB; USPAT	OR	ON	2006/03/27 11:49
S19 3	13	S189 and ((data near2 type) (character near2 set)) with (encrypt\$3 or cryptography obfuscate\$3)	US-PGPUB; USPAT	OR	ON	2006/03/27 11:51
S19 4	1116	713/167,189,193.ccls. and (@ad<"20001127" or @rlad<"20001127")	US-PGPUB; USPAT	OR	ON	2006/03/27 11:55
S19 5	3	S194 and ((database same (encrypt\$3 or cryptograph\$2)) same ("data type" "character set"))	US-PGPUB; USPAT	OR	ON	2006/03/27 11:55
S19 6	24	S194 and (database near3 (encrypt\$3 or cryptograph\$2) same (record column field element))	US-PGPUB; USPAT	OR	ON	2006/03/27 11:56